Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.61

Westbury Rose Co., Inc.

Nurserymen and Landscape Contractors
Henry Van den Hoorn, Pres.

Westbury, L. I., N. Y.

Garden City 2576

September 1947
THE STOCK offered in this list has been carefully grown and processed in nutrient treated sterilized soil. Only parts of healthy and selected strains are used in propagation.

CHEMICAL LABORATORY on the premises is used to make our own hormones and nutrients to suit all

varieties of plants.

EXPERIMENTAL GREENHOUSE is used for extensive comparative tests and research to determine best and most satisfactory ways of producing plants. Mass production is started only after proven results.

NEW GREENHOUSES with many innovations facilitate the production of more and better plants.

OUR PRODUCTS—For years we have grown Magnolias on their own roots. We have added Pink flowering and other Dogwood varieties, also Japanese Maple, Azalea mucronulatum, ghent and other difficult varieties. We also produce Rhododendron hybrid and Alpine varieties from stem cuttings. We aim to reduce grafting to a minimum to overcome suckering, graft weaknesses and diseases.

DESIRABLE ITEMS you wish propagated—write us, we may be able to root quantities for you after

making a small test.

VISIT US. Our plant factory is fast becoming a mecca for Horticulturists and Nurserymen.

Awaiting your valued orders.
WESTBURY ROSE CO., INC.
Westbury, L. I., N. Y.
BETTER PLANTS FOR BETTER GARDENS
THRU CHEMISTRY

WHOLESALE

FALL 1947 - SPRING 1948

Sec. 562, P. L. & R.

U.S. Postage PAID

Westbury, L. I. Permit No. 5

* OCT 30 1947 *
U.S. Department of Agriculture

POSTMASTER: If addressee has removed, notify sender on FORM 3547 postage for which is guaranteed.


DOMESTIC NURSERY STOCK

Key

B —Soil Ball F —Flatted
B&B—Ball and Burlap C —Rooted Cuttings
BR —Bare Root S —Secdlings
P —Potted C —Grafts
X For times transplanted O.R. Own Root

LINING OUT STOCK

א ז זייות א	Size	Description	Per 100
ABELIA Grandiflora	4-6''	P.21/2	18.00
ACER Palmatum atropurpureum, Tru Grown on t	ie 6-8'' heir own ro	P.21/2''	50.00
ALBIZZIA	0.011	D 011.11	25.00
Julibrissin rosea	6-9	P.21/2''	25.00
AMYGDALIS	4.044	D 03///	00.00
rosea	4-5	P.21/2''	20.00
NDROMEDA	9-12''	XB	40.00
floribunda	4-6''	х в	30.00
ignonica	4-6''	X B	20.00
japonica (Free blooming strain)	6-9''	XX B	30.00
(and and and and and and and and and and	9-12''	XX B XXX B&B heavy B&B	75.00
	12-15''	XXX B&B	125.00
	15-18''	heavy B&B	200.00
	18-24''	heavy B&B	300.00
ZALEA			10.00
amoena	4-6	X F	18.00
	4-6''	P.2½'' X F	20.00 18.00
apple blossom	4-6'	D 21/- "	20.00
coral bells		P.2½'' X F	18.00
cordi Dells	4-6''	P.21/2''	20.00
fedora		X F	18.00
	4-6''	P.21/2''	20.00
ghent, named varieties	12-15''	P.21/2'' heavy B&B heavy B&B	200.00
	15-18''	heavy B&B	250.00
	18-24''	heavy B&B	300.00
hinodigiri		X F	18.00
	4-6''	P.21/2'	20.00
	6-9''	XX B	50.00
hinocrimson	9-12''	XXX B	100.00
ninocrimson	4-6''	X F	20.00 25.00
hinomayo		P.21/2'' X F	18.00
minomayo	4-6′′		20.00
kaempferi hybrids		P.2½'' X F	18.00
macing terr try brids	4-6''	P.21/2''	20.00



CHEMICAL LABORATORY used to prepare nutrients and hormone formulas.

EXPERIMENTAL GREENHOUSE where new ideas in propagation are born.



	Size	Description	Per 100
ledifolia magnifica	4-6''	XF	18.00
	4-6''	P.2 ¹ / ₂ '' X F	20.00
ledifolia alba	4-6''	X F	18.00
	4-6''	P.21/2'' XX B X F	20.00
	6-9''	XX_B	45.00
macrantha	4-6	XF	18.00
	4-6'' 6-9''	P.21/2''	20.00
		XX B X F	45.00
malvatica hyb.	4-6''	X f	18.00 20.00
	6-9''	P.2 ¹ / ₂ '' XX B	45.00
maxwelli	4-6-''	XF	18.00
4114A W 4414	4-6''		
mollis, named varieties		P.2½" heavy B&B heavy B&B heavy B&B	200.00
	15-18''	heavy B&B	250.00
	18-24"	heavy B&B	300.00
mucronulatum	4-6''	XF	20.00
	4-6''	X F P.2½'' X F P.2½'' X F	25.00
pink pearl	4-6''	XF	18.00
	4-6''	P.21/2''	20.00
salmon beauty	4-6′′	XF	18.00
1	4-6'	P.2 ¹ / ₂ '' X F	20.00
salmon queen	4-6''	X F	18.00
schlippenbachi	4-0	P.21/2''	20.00 25.00
snow	4-6	X F X F	18.00
SHOW	4-6''	P.21/2''	20.00
	6-9''	VV B	45.00
yodogawa (blooming strain)		XX B X F	18.00
100034114 (2000111113 2014111)	4-6''	P.21/2''	20.00
BERBERIS		- 12/2	
	0 5//	D 03/ //	05.00
julianae	3-5′′	P.21/2''	25.00
BUDDLEIA			
alternifolia	6-8''	P.21/2''	20.00
		1.2/2	20.00
CHAMAECYPARIS (Retinospora)			
obtusa nana	4-6"	P 21/2"	30.00
obtusa nana compacia obtusa crippsi	4-6''	P.2 ¹ / ₂ '' P.2 ¹ / ₂ P.2 ¹ / ₂ ''	40.00
obtusa crippsi	4-6''	P.21/2''	30.00
obtusa gracilis	4-6''	F.2 ¹ / ₂ '' X B C.B.R.	30.00
	6-9"	X B	45.00
pisifera	4-6''	C.B.R.	8.00
	4-6''	P.21/2''	18.00
	6-9''	XX B	35.00
	9-12"	XX B	50.00
pisifera aurea	4-5′′	C.B.R.	10.00
	4-6''	P.21/2''	20.00
	6-9'' 9-12''	X B XX B	35.00 50.00
-1.11 (131)	9-12	C.B.R.	10.00
pisifera filifera	4-6''	P.21/2''	20.00
	6-9''	X B	35.00
nicitora filifora guroa	4-6''	C.B.R.	15.00
pisifera filifera aurea	4-6''	P.21/2''	25.00
plumosa	4-5''	C.B.R.	8.00
P	4-6''	P.21/2"	18.00
	6-9''	X B	35,00
	9-12''	XX B	50.00

	Size	Description	Per 100
CHAMAECYPARIS	5120	2000	
plumosa aurea	4-6''	C.B.R.	10.00
	4-6'' 6-9''	P.21/2'' X B	20.00 35.00
	9-12''	XX B	50.00
plumosa lutescens		C.B.R.	15.00
	3-5''	P.21/2''	22.00
	4-6''	X B	35.00
squarrosa veitchi	. 4-6'' 4-6''	C.B.R.	10.00
	6-9"	P.21/2'' X B	35.00
	9-12"	XX B	50.00
	12-15''	XX B	75.00
CORNUS (dogwood) on their own - growth satisfactory as proven Assembly production methods e plants at this low price.			nd
florida fructi luteo, yellow berries	6-8''	P.21/2"	45.00
florida magnifica, ex. large flower	s 6-8''	P.2½'' P.2½''	50.00 45.00
florida magnifica, ex. large flower florida pendula, weeping white florida plena, double white florida rubra, pink (red) florida variegata, variegated leave kousa chinensis, late white mas, early yellow	6-8''	P.21/2	45.00
florida rubra, pink (red)	6-3''	P.21/2"	40.00
florida variegata, variegated leave	es 6-8''	P.21/2''	50.00 40.00
kousa chinensis, late white	6-8''	P.Z ¹ / ₂ P 21/ ₂ ''	40.00
For 8-10" size in these varie	ties ad	d \$5.00 per 100	
	1100, 00	The state of the s	
COTONEASTER apiculata	3-5"	P 21/2"	30.00
horizontalis	3-5''	P.2½'' P.2½''	20.00
ENKIANTHUS			
campanulatus, selected form	. 4-6''	P.21/2''	25.00
EUONYMUS			
carrieri	. 4-6''	P.2½'' P.2½''	20.00
vegetus	. 4-6	P.21/2	20.00
GORDONIA		D 01/ //	05.00
alatamaha	. 4-6	P.21/2''	25.00
ILEX (holly) aquifolia, hardy form	3-5"	P.21/2"	20.00
	6-9	XX B	40.00
crenata	3-5''	C.B.R.	8.00
	3-5'' 4-6''	P.21/2''	20.00 25.00
	6-9"	X B X B	35.00
	9-12"	XX B	50.00
crenata helleri	3-4''	C.B.R. P.2 ¹ / ₂ ''	15.00 25.00
crenata latifolia	3-5''	C.B.R.	10.00
	3-3	P.21/2''	20.00
	4-6'' 6-9''	XB	30.00 40.00
crenata microphylla	3-5"	X B C.B.R.	10.00
cionata interophijita	3-J	F.2 ¹ / ₂ '' X F	20.00
	4-6''	XF	25.00
	6-9''	ХВ	35.00




MODERN GREENHOUSE gives ample light and air to create healthy Azaleas and Andromedas

MAIN GREENHOUSE producing over 200 thousand cuttings per season.



This plant closely resembles hedges, also helps composition in group plantings.		Size	Description	Per 100
hedges, also helps composition in group plantings. crenata bullata	ILEX CRENATA bullata (convexa)			
3-5" X.F. 13.00	hedges, also helps composition	in grou	p plantings.	
4-6" P.21/2" Z0.00	crenata bullata	3-5''	VE	
Crenata rotundifolia		4-6"	P.21/2''	
S-12" XX			AA I	
Crenata rotundifolia 3-5" C.B.R. 10.00		6-9"		
Crenata rotundifolia 3-5" C.B.R. 10.00				
3-5'' F.21/2'' 20.00			a	10.00
Section Sect	crenata rotundifolia	. 3-5''		
glabra		4-6''	X B	
3-5" P.21/2" 20.00		6-9"	X B	30.00
G-9" XX B 25.00 9-12" XXX B 50.00 12-15" B&B 100.00 opaca	glabra	3-5''	C.B.R.	
9-12" XX B 50.00 12-15" B&B 100.00 12-15" B&B 20.00 12-15" B&B 20.00			P.Z ¹ / ₂	
12-15" B&B 100.00			XX B	
opaca		12-15''	R&R	
opaca brilliantissima 3-5" P.21/2" 25.00 opaca mascula 3-5" P.21/2" 20.00 pedunculosa, chinese holly 3-5" P.21/2" 30.00 JUNIPERUS communis andorra 4-6" C.B.R. 10.00 pfitzeriana 4-6" C.B.R. 12.00 communis depressa 4-6" C.B.R. 10.00 excelsa stricta 4-6" C.B.R. 10.00 horizontalis 4-6" C.B.R. 10.00 Leuchan 4-6" C.B.R. 10.00 Leuchan 4-6" C.B.R. 10.00 LAUROCERASUS schipkaensis 4-6" C.B.R. 15.00 LAUROCERASUS schipkaensis 4-6" P.21/2" 25.00 LEUCOTHOE axillaris 3-5" P.21/2" 25.00 LONICERA	opaca	3-5''	P.21/2''	
opaca brilliantissima 3-5" P.21/2" 25.00 opaca mascula 3-5" P.21/2" 20.00 pedunculosa, chinese holly 3-5" P.21/2" 30.00 JUNIPERUS communis andorra 4-6" C.B.R. 10.00 pfitzeriana 4-6" C.B.R. 12.00 communis depressa 4-6" C.B.R. 10.00 excelsa stricta 4-6" C.B.R. 10.00 horizontalis 4-6" C.B.R. 10.00 Leuchan 4-6" C.B.R. 10.00 Leuchan 4-6" C.B.R. 10.00 LAUROCERASUS schipkaensis 4-6" C.B.R. 15.00 LAUROCERASUS schipkaensis 4-6" P.21/2" 25.00 LEUCOTHOE axillaris 3-5" P.21/2" 25.00 LONICERA	opaca, M & F paired	. 4-6	F.21/2	
JUNIPERUS Communis andorra 4-6" C.B.R. 10.00	opaca brilliantissima	3-5''	P 21/2''	
JUNIPERUS Communis andorra 4-6" C.B.R. 10.00	opaca mascula	3-5''	P.21/2''	
JUNIPERUS Communis andorra 4-6" C.B.R. 10.00	pedunculosa, chinese holly	. 3-5''	P.21/2''	30.00
## 4-6" F. 21/2" 20.00 ## 4-6" C.B.R. ## 12.00 ## 4-6" C.B.R. ## 10.00 ## 1				
pfitzeriana 4-6" C.B.R. 12.00 4-6" P.21/2" 22.00 communis depressa 4-6" C.B.R. 10.00 4-6" P.21/2" 20.00 excelsa stricta 4-6" C.B.R. 10.00 horizontalis 4-6" C.B.R. 10.00 horizontalis 4-6" C.B.R. 10.00 horizontalis 4-6" C.B.R. 10.00 parsoni 4-6" C.B.R. 10.00 parsoni 4-6" C.B.R. 10.00 titoralis 4-6" C.B.R. 12.00 litoralis 4-6" C.B.R. 12.00 LAUROCERASUS schipkaensis 4-6" C.B.R. 15.00 squamata meyeri 4-6" C.B.R. 15.00 LAUROCERASUS schipkaensis 4-6" P.21/2" 25.00 LEUCOTHOE axillaris 3-5" P.21/2" 25.00 LONICERA	communis andorra	4-6''		
Communis depressa	nfitzeriana	4-6''		
excelsa stricta		4-6′′		
excelsa stricta	communis depressa	4-6''	C.B.R.	
A-6" F.21/2" 20.00 A-6" C.B.R. 10.00 A-6" F.21/2" 20.00 Bitoralis A-6" C.B.R. 10.00 A-6" F.21/2" 20.00 B-12" XX An one of the content of t		4-6		
horizontalis 4-6" C.B.R. 10.00 4-6" I.21/2" 20.00 horizontalis glauca 4-6" C.B.R. 10.00 parsoni 4-6" C.B.R. 12.00 litoralis 4-6" C.B.R. 12.00 litoralis 4-6" C.B.R. 10.00 4-6" P.21/2" 20.00 4-6" P.21/2" 20.00 squamata meyeri 4-6" P.21/2" 20.00 squamata meyeri 4-6" C.B.R. 10,00 4-6" P.21/2" 20.00 LAUROCERASUS schipkaensis 4-6" P.21/2" 25.00 LAUROCERASUS schipkaensis 4-6" P.21/2" 25.00 LEUCOTHOE axillaris 3-5" P.21/2" 25.00 LONICERA	excersa siricia	4-6''		
horizontalis glauca 4-6" C.B.R. 10.00 4-6" I'.21/2" 20.00 parsoni 4-6" C.B.R. 12.00 4-6" P.21/2" 20.00 litoralis 4-6" C.B.R. 10.00 squamata meyeri 4-6" C.B.R. 10.00 4-6" P.21/2" 20.00 4-6" P.21/2" 20.00 LAUROCERASUS schipkaensis 4-6" P.21/2" 25.00 LAUROCERASUS schipkaensis 4-6" P.21/2" 25.00 LEUCOTHOE axillaris 3-5" P.21/2" 25.00 LEUCOTHOE axillaris 3-5" P.21/2" 25.00 LONICERA	horizontalis	4-6''	C.B.R.	
A-6" I' 21/2" 20.00 A-6" C.B.R. 12.00 A-6" C.B.R. 12.00 A-6" C.B.R. 10.00 A-6" C.B.R. 10.00 A-6" P.21/2" 20.00 A-6" P.21/2" 20.00 A-6" P.21/2" 25.00 LAUROCERASUS Schipkaensis A-6" P.21/2" 25.00 Saparata A-6" P.21/2" 25.00 LEUCOTHOE Saparata A-6" P.21/2" 25.00 LEUCOTHOE Saparata A-6" P.21/2" 25.00 LONICERA LONICERA LONICERA A-6" P.21/2" 25.00 LONICERA LONICERA LONICERA A-6" P.21/2" 20.00 LONICERA LONICERA LONICERA LONICERA LONICERA A-6" P.21/2" 20.00 LONICERA LONICERA LONICERA LONICERA LONICERA LONICERA A-6" P.21/2" LONICERA			I'.21/2''	
parsoni 4-6" C.B.R. 12.00 4-6" P.21/2" 20.00 litoralis 4-6" C.B.R. 10,00 squamata meyeri 4-6" C.B.R. 15.00 squamata meyeri 4-6" C.B.R. 15.00 4-6" P.21/2" 25.00 LAUROCERASUS schipkaensis 4-6" P.21/2" 25.00 zabeliana 9-12" XX 40.00 zabeliana 4-6" P.21/2" 25.00 LEUCOTHOE axillaris 3-5" P.21/2" 25.00 LONICERA	horizontalis glauca	4-6"		
4-6" P.2½" 20.00	parsoni			
A-6" P.21/2" 20.00		4-6"	P.21/2"	20.00
Squamata meyeri 4-6" C.B.R. 15.00	litoralis	4-6''		
A-6" P.21/2" 25.00	sanamata meyeri			
LAUROCERASUS schipkaensis 24-6" P.2½" 25.00 2abeliana 4-6" P.2½" 25.00 LEUCOTHOE axillaris 3-5" P.2½" 25.00 LONICERA	squanata meyeri	4-6''		
zabeliana 4-6" P.2½" 25.00 LEUCOTHOE axillaris 3-5" P.2½" 25.00 catesbaei 3-5" P.2½" 20.00	LAUROCERASUS		, 2	
zabeliana 4-6'' P.21/2'' 25.00 LEUCOTHOE axillaris 3-5'' P.21/2'' 25.00 catesbaei 3-5'' P.21/2'' 20.00	schipkaensis	4-6''	P.21/2''	
LEUCOTHOE axillaris	1 1	9-12''	A A	
axillaris 3-5" P.2½" 25.00 catesbaei 3-5" P.2½" 20.00		4-6	P.Z1/2	25.00
LONICERA		0.511	D 01/ //	05.55
LONICERA	axillaris	3-5	P.21/2	
LONICERA nitida 4-6" P.21/2" 25.00 pileata 4-6" P.21/2" 25.00		. 3-3	F.21/2	20.00
milda 4-6 $P.2\frac{1}{2}$ 25.00 pileata 4-6" $P.2\frac{1}{2}$ " 25.00	LONICERA	1 611	D 01/ //	05.00
piledia	nitida	4-6	P.Z ¹ / ₂ P.21/ ₂ ''	
				20.00

	Size	Description	Per 100
MAGNOLIA for more than twelve years we have own roots. It was our first step to results over these years surpassed of conspicua, pure white	do awo our expe 6-8'' 6-8''	ay with gratectations.	75.00 75.00 60.00
rustoca rubra, deep rose soulangeana, popular pink soulangeana nigra, dark purple speciosa magnifica, pink striped stellata, white star stellata rosea, pink star stellata waterlily, double pink star wilsoni, late white	6-8'' 6-8'' 6-8'' 6-8'' 6-8''	21/2''P 21/2''P 21/2''P 21/2''P 21/2''P 21/2''P 21/2''P 21/2''P 21/2''P 21/2''P 21/2''P	60.00 50.00 60.00 75.00 50.00 60.00 100.00
PACHYSANDRA			
terminalis	er M	P.21/2'' Flats (50) X F 2 yr	10.00 6.00 8.00
POLYGONUM auberti	4-6''	P.21/2''	20.00
PYRACANTHA coccinea lalandi PIERIS—See andromeda	4-6''	P.21/2''	25.00
RETINOSPORA—(See Chamaecyparis)			
SARCOCOCCA humilis	3-4''	P.21/2''	25.00
STEWARTIA pseudccamellis	4-6''	P.21/2''	40.00
RHODODENDRON named hybrids in following color white, pink, purple, lavender, red and crimson		O.R.	60.00
These are on their own roots, root system—no graft-weakness	fine		
suckering to worry about. alpine var. Wilsoni, etc.	3-5''	O.R.	40.00
RHODODENDRON seedlings—from best red hybrids	6-8′′	XX B	40.00
RHODODENDRON - grafted plants	6-8''	Grafts	100.00
white, pink, purple, lavender red and crimson	9-12'' 2-15'' 5-18'' 3-24''	2 yr. 3 yr. 4 yr. 5 yr.	150.00 200.00 250.00 400.00



TAXUS (yew) baccata repandens

canadensis stricta

PROPAGATING HOUSE turning out both cuttings and grafts, filled to capacity.

 ${\tt MAGNOLIAS}$ by the thousands standing shoulder to shoulder ready to be shipped.



	Size	Description	Per 100
cuspidata	4-6''	C.B.R.	8.00
	4-6''	P.21/2"	18.00
	6-9''	XX B	25.00
	9-12''	XX B	35.00
-capitata	4-6''	C.B.R.	15.00
	4-6''	P.21/2''	25.00
	6-9"	XX B	40.00
/1 1/ 1/ 1	9-12''	XX B	60.00
—nana (brevitolia)	3-5	C.B.R.	10.00
hatfieldi	3-5''	P.21/2''	20.00
namelal	4-6'	C.B.R. P.2 ¹ / ₂ ''	10.00 20.00
intermedia		C.B.R.	10.00
intermedia	4-6''	P.21/2"	
media hicksi		C.B.R.	20.00
anodia internal	4-6''	P.21/2''	20.00
	6-9''	XX B	30.00
	9-12''	XX B	45.00
	12-15''	XX B	75.00
THUJA (Arborvitae)			
occidentalis	4-6"	C.B.R.	8.00
0001404114411	4-6''	P.21/2''	18.00
	6-9''	XX B	25.00
	9-12"	XX B	35.00
-elegantissima		C.B.R.	10.00
•	4-6''	P.21/2"	20.00
	6-9''	XX B	30.00
	9-12"	XX B	40.00
—globosα	4-6''	C.B.R.	10.00
	4-6"	P.21/2"	18.00
1	6-9''	XX B	25.00
—lutea	4-6	C.B.R.	10.00
—nigra	4-6''	P.2½'' C.B.R.	20.00 15.00
-nigra	4-6''	P.21/2''	25.00
	6-9''	XX B	35.00
pyramidalis		C.B.R.	10.00
pyramidans	4-6''	P.21/2''	22.00
—rosenthali		C.B.R.	10.00
	4-6''	P.21/2''	22.00
-spiralis (douglasi)	4-6''	C.B.R.	10.00
	4-6''	P.21/2"	22.00
-wareana	4-6''	C.B.R.	10.00
	4-6''	P.21/2''	20.00
TSUGA			10.00
canadensis	6-9''	X B	10.00
	9-12"	X B	15.00
VIBURNUM burkwoodi	2 5"	P.21/2''	20.00
gurlogi	2 5''	D 21/2	25.00
carlesi theiferum	1-6''	P.21/2" P.21/2"	20.00
VINCA	4-0		
minor	20 leads		10.00
			10.45
ONE OF THE MANY COMMENTS	RECEIVED		
7	- 4	7 71 7	1 . 1 2 . 1.

I again want to compliment you on the splendid stock which I receive from you consistently and the excellent manner in which the material is crated. It is indeed a pleasure to do business with you.

O. A. S., Michigan

GRAFTED STOCK

ACER palmatum atropurpureum 6-8' BIOTA aurea nana 6 CHAMAECYPARIS obtusa nana 6-9 CHERRY—flowering in variety 6-8	'' P.21/2'' '' P.21/2'' '' BR	75.00 50.00 60.00 25.00
CRAB—flowering in variety 6-8		25.00
CORNUS florida rubra 6-8		75.00
JUNIPERUS chinensis columnaris 6-8'		50.00
MAGNOLIA conspicua and lennei 6-8'		75.00
PLUM—flowering 6-8	" BR	25.00
RHODODENDRONS—hardy named hybrid in White, Pink, Lavender, Purple	ds	
and Red 6-8'	'' P.2½''	100.00
SYRINGA-french lilacs, choice		
named var. 6-8"	' BR	25.00
TSUGA atrovirens and sargents		
weeping 6-8'	" P.21/2"	75.00

SEEDLINGS

Special Offer - August to December only
AZALEA kaempferi (dark strains)
kaempferi (salmon shades) (non-burning) 7.50 per flat
mucronulatum (earliest to bloom) 10.00 per flat
LEUCOTHOE catesbaei (vigorous plants) 6.00 per flat
PIERIS (Andromeda) japonica (selected strain) 7.50 per flat
RHODODENDRON hybrids (Chas. Dickens seed) 10.00 per flat
hybrids (hand pollinated) 20.00 per flat
ponticum (domestic)
Above seedlings transplanted, healthy stock, 2-3" high, 75 plants
per flat.

TERMS and CONDITIONS

THIS LIST cancels all previous quotations. Prices quoted are subject to change without notice and orders are accepted subject to prior sale.

ject to prior sale.

PRICES—quoted per 100: 10% off on 1000 lots, 25 at 100 rate, 250 at 1000 rate—20% added for less than 25 of a kind. Not less than 10 of a variety sold.

CERTIFICATE—By U.S.D.A. furnished.

PACKING—Free of charge for cash with orders over \$25.00 only.

SHIPPING—from Westbury to destination at cost and risk of

PAYMENT—All or 50% cash with order; balance C.O.D. unless otherwise arranged.

GUARANTEE—We express or imply no warranty as to the life or condition of the stock after it leaves our control.

CLAIMS—All claims must be made in writing within ten days of invoice date. No merchandise may be returned for credit without our written permission. No adjustments made when account is past due. Your order shall constitute acceptance of these terms.

NOTE—we reserve the right to cancel all or part of any order in case of strike, delay in case of crop failure, or when not receiving desired variety, grade or quality or quantity from our growers, in which case order will be held over, or refund will be made. be made.

WESTBURY ROSE CO., INC.



BIRDS EYE VIEW of nursery, greenhouses and frames.